

Aperçu

informations sur le produit



FMEH-02P-13020000035

DIN rail housings, Complete housing with metal foot catch,tall design,with TBUS options, with vents,Width: 12.6mm,Color: light gray,material:PA66,Flammability rating :V0.

Les avantages des produits

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Les certificats des produits

Caractéristiques techniques

Dessin de produit

Modèle 3D

□

Dimensions

width	12.6mm
length	99mm
Height	114mm
Depth from top edge of DIN rail	107mm

PCB data

Number of PCB holders	1
PCB thickness	1.5mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	3(Both sides)
with ventilation openings	Yes
Maximum connection	12 (pitch 5.0mm)

Material data

color	Light gray
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5℃ ~ +100℃
Ambient temperature (operation)	-40℃ ~ +125℃
Ambient temperature (storage / transport)	-40℃ ~ +55℃

Accessoires

Accessories

PCB Plug	2EDGKF-5.0-02P-11-00A(H)
PCB Socket	2EDGLF-5.0-02P-11-00A(H)
The bus terminal	FBUS12.5-05P-11-00A(H)

Caractéristiques commerciales

Numéro de la commande	13020000035
Unité d'emballage	32
Quantité minimale de commande	32

Le poids de produit (sans emballage)	41.3
--------------------------------------	------