

Aperçu

Informations sur le produit



ESS-70A-10-B-OR-00-20160003005

Energy storage connector, product range: ESS socket, color: orange, wire cross section: 6 mm², rated voltage: 1000V, rated current: 70 A, connection method: copper bar, contact type: pin

Les avantages des produits

- ☒ Degson has its own patented design
- ☒ There are no safety locks
- ☒ There's a free spin of 360°
- ☒ There's no electric shock protection
- ☒ There's no wrong insertion or short circuit

Les certificats des produits



Caractéristiques techniques

Dessin de produit

Modèle 3D



Environment condition

Protection grade (pair plug)	IP67
Ambient temperature (operation)	-40°C ~ +125°C
Ambient temperature (storage/transportation)	-40°C ~ +80°C
Altitude	2000m

Wiring data

Wiring mode	Busbar
-------------	--------

Mechanical properties

Plugging times	100
Pullout force	>10N
Insertion force	<55N

Standards and specifications

Standard/Specification	UL4128
------------------------	--------

Material data

Insulating material	Nylon
Halogen-free	Compliance with standards
Environmental protection matters	REACH/RoHS compliant
Sealing ring material	Silicone
Contact material	Copper alloy
Shell color	Orange
Flammability rating	UL94V-0

Electrical parameters

Pollution level	3
Rated current	70A
	1000V
Insulation resistance	>5000MΩ
Contact resistance	≤0.5mΩ

Accessoires

Caractéristiques commerciales

Numéro de la commande	20160003005
Unité d'emballage	75

Quantité minimale de commande	75
Le poid de produit (sans emballage)	11.5